

**2017 Airbus
H135T3**
#1269 | G-ORST



CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved - Specifications Subject To Verification upon Inspection.

2017 Airbus H135T3

#1269 | G-ORST



TOTAL HOURS

1,028 hours since new

ENGINES

Safran Arrius 2B2

#	S/N	TSN	CYCLES
1	33043	1,028	2,926
2	33045	1,028	2,926

HIGHLIGHTS

SBH/PBH enrolled

SP IFR

Goodrich Hoist w/ left hand side FP

Emergency Floats FP/RP

Inlet Barrier Filter System

AVIONICS

AV Package SP IFR GC GTN750

Digital Audio Control System (DACS), incl ACP53 (Cobham), Pilot and Co-Pilot

Transponder (Mode S) GTX33 ES (Garmin)

Distance Measuring Equipment DME 4000 (Rockwell Collins)

ADF System / Controller (CDF-552)

Marker beacon receiver and lights KR21 (Honeywell)

Avionics/Radio master switches

GPS/NAV/COM GTN750 (Garmin) Pilot & Co-pilot

2" stand by horizon incl. emergency battery AI804DC (Goodrich)

MEGHAS (2 x SMD45) Flight Control Display System (FCDS)

Avionics Package SP IFR GC GTN750 interconnection/wiring

Radar altimeter KRA 405B (Honeywell)

MEGHAS sensor kit

Co-Pilot pitot static system (electrically heated)

3 AXIS Digital Automatic Control System (DAFCS) Digital

Audio Control System (DACS)

control unit ACP53 (NAT), cabin 3rd station box

ADF Control Unit CDF-552 (Chelton)

ADF System DFS-43A (Chelton/Wulfsberg)

Traffic Advisory System TAS 620 (Avidyne)

TAS 620 (Avidyne) interface with GTN Series

FCDS/DAFCS GPS selection switch for GTN Series (Garmin)

Free steering mode for Attitude and Heading Reference System (AHRS)

Tactical Radio NPX 138N (NAT)

Cockpit Voice and Flight Data Recorder (CVFDR)

Tablet PC Holder, pilot side instead of illuminated chart holder

Electrical fixed provisions, 5VDC, pilots.

Satellite Based Augmentation (SBAS) Required Navigation Performance (RNP) approach

capability

Helicopter Terrain Awareness System (HTAWS) for GTN Series (Garmin) Digital Audio

Control System (DACS) control unit ACP53 (NAT), cabin 3rd station box

ADF Control Unit CDF-552 (Chelton)

ADF System DFS-43A (Chelton/Wulfsberg)

Traffic Advisory System TAS 620 (Avidyne)

TAS 620 (Avidyne) interface with GTN Series

FCDS/DAFCS GPS selection switch for GTN Series (Garmin)

Free steering mode for Attitude and Heading Reference System (AHRS)

Tactical Radio NPX 138N (NAT)

Cockpit Voice and Flight Data Recorder (CVFDR)

Tablet PC Holder, pilot side instead of illuminated chart holder

Electrical fixed provisions, 5VDC, pilots.

Satellite Based Augmentation (SBAS) Required Navigation Performance (RNP) approach

capability

Helicopter Terrain Awareness System (HTAWS) for GTN Series (Garmin)

CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

2017 Airbus H135T3

#1269 | G-ORST



TOTAL HOURS

1,028 hours since new

ENGINES

Safran Arrius 2B2

#	S/N	TSN	CYCLES
1	33043	1,028	2,926
2	33045	1,028	2,926

HIGHLIGHTS

SBH/PBH enrolled

SP IFR

Goodrich Hoist w/ left hand side FP/RP

Emergency Floats FP/RP

Inlet Barrier Filter System

ADDITIONAL OPTION EQUIPMENT

- Engine Fire Extinguishing

Rotor Brake

Bleed air heating system

Windshield Wiper system

External mirror fixed provisions

Emergency Floats fixed provisions

Landing & Search light

Multifunction handle on main gearbox cowling LH & RH

Fuzz Burners for engines

Alternating Current system (50VA)

Engine outlet heat protection

Engine compressor wash kit

Reinforced rear landing gear cross tube

ADELT (HR Smith)

Inlet Barrier Filter (IBF) system

White Strobe lights

External Hoist LH, Class D HEC fixed provisions
- Goodrich hoist single removable provisions

Cargo hook mirror detachable parts

Single cargo hook system fixed and detachable provisions.

Emergency lights incl. boarding step illuminations

Illuminated Signs "No smoking/Fasten seat belt"

Helicopter Emergency Egress Lighting (HEELS)

Underwater Locator Beacon (ULB) ELP-362D

Emergency Floats fixed provisions,

Emergency Floats detachable parts

External Lifer Raft System (ELRS) fixed provisions

External Lifer Raft System (ELRS) detachable parts

Emergency Locator Transmitter (ELT) Integra AF/AP (Kannad)

Jettisonable cockpit doors

Lashing points for wind speeds up to 40 Knots

One hand latching system for clam-shell doors

LARS (Lightweight Aircraft Recording System)

CONTACT

William Sturm / ws@aeroasset.com

+33 621 661 260

2017 Airbus H135T3
#1269 | G-ORST



CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved - Specifications Subject To Verification upon Inspection.



2017 Airbus H135T3
#1269 | G-ORST



CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved - Specifications Subject To Verification upon Inspection.

2017 Airbus H135T3
#1269 | G-ORST



CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved - Specifications Subject To Verification upon Inspection.



2017
Airbus
H135T3
#1269
G-ORST

CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved - Specifications Subject To Verification upon Inspection.



**2017 Airbus
H135T3**

#1269
G-ORST



AEROASSET

CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved - Specifications Subject To Verification upon Inspection.

2017 Airbus H135T3
#1269 | G-ORST



CONTACT
William Sturm / ws@aeroasset.com
 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved -Specifications Subject To Verification upon Inspection.

2017 Airbus H135T3
#1269 | G-ORST



CONTACT

William Sturm / ws@aeroasset.com

 **+33 621 661 260**

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved - Specifications Subject To Verification upon Inspection.



AEROASSET.COM

181 Bay Street, Toronto,
ON, M5J 2T9, Canada
Phone: +1 732 578 8217
sales@aeroasset.com



AIRBUS

Approved
Network Provider

© Copyright - AeroAsset, Inc ® 2023 - All Rights Reserved
Specifications Subject To Verification upon Inspection.

